	Application No.	Applicant(s)
	.     10/086,630	KARASAWA, HIDEYASU
Notice of Allowability	Examiner	Art Unit
	Craig W. Kronenthal	2627
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	pears on the cover sheet with S (OR REMAINS) CLOSED in to S) or other appropriate communication is su	the correspondence address this application. If not included nication will be mailed in due course. THIS
1. This communication is responsive to <u>07/06/2005</u> .		
2. The allowed claim(s) is/are 1, 3-17, and 20.		
3. Acknowledgment is made of a claim for foreign priority to a) All b) Some* c) None of the:  1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submin INFORMAL PATENT APPLICATION (PTO-152) which gives 1. CORRECTED DRAWINGS (as "replacement sheets") must be comply including changes required by the Notice of Draftspering including changes required by the attached Examinet Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in DEPOSIT OF and/or INFORMATION about the depattached Examiner's comment regarding REQUIREMENT	re been received. re been received in Application occuments have been received " of this communication to file a MENT of this application. mitted. Note the attached EXAN res reason(s) why the oath or out the submitted. rson's Patent Drawing Review	No in this national stage application from the a reply complying with the requirements  MINER'S AMENDMENT or NOTICE OF declaration is deficient.  ( PTO-948) attached In the Office action of e drawings in the front (not the back) of e 1.121(d).  RIAL must be submitted. Note the
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB, Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Sur Paper No./M /08), 7. ⊠ Examiner's A	ormal Patent Application (PTO-152) mmary (PTO-413), fail Date mendment/Comment statement of Reasons for Allowance

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Rusty Hill on November 8, 2005.

The application has been amended as follows:

Claim 3 now reads as follows: An image processing method as set forth in claim 1, further comprising the steps of inputting image data of a target element, analyzing the input image data, and generating said element module data by using said main module data, said sub material module data, processing apparatus module data and said processing routine module data selected based on results of the analysis.

## Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

Independent claims 1, 16, and 17 are allowable over the prior art of record. Claims 3-15 depend from claim 1, and therefore, are allowed. Claim 20 depends from claim 17, and therefore, is allowed.

Independent claims 1, 16, and 17 recite the limitation: generating element module data indicating an attribute of said element using said main material module data, said sub material module data, said processing apparatus module data and said processing

routine module data. The combination of these features as cited in the claims in combination with the other limitations of the claims, are neither disclosed nor suggested by prior art of record.

The closest reference of USPN 5,815,645 to Fredlund et al. discloses incorporating design attributes of surrounding items into generating a merged image. However, Fredlund does not teach the limitation as cited above.

In view of the amended claims and the Applicant's arguments, the rejection and objections to claims 1, 3-17, and 20 are expressly withdrawn.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Craig W. Kronenthal whose telephone number is (571) 272-7422. The examiner can normally be reached on 8:00 am - 5:00 pm / Mon. - Fri...

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh Mehta can be reached on (571) 272-7453. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/086,630

Art Unit: 2627

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

11/09/05 CWK

> SANJIV SHAH PRIMARY EXAMINER